

Wt lbs	Wt kg	Ace mg	Bup mg	Bup cc	RV	RVIDD	IVSTD	LVIDD	LVPWD	IVSTS	LVIDS	LVPWS	FS	EF	EPSS	AoS	LAD	LA:Ao
1	0.45	0.03	0.01	0.02	<3.5	4.4-6.6	4.4-6.8	13.3-19.8	3.5-5.4	6.7-9.4	6.4-11.1	6.1-8.5	30-46	>70	0-6	8.5-11.6	8.9-12.8	0.8-1.3
2	0.91	0.05	0.01	0.05	<3.7	4.8-6.9	4.7-6.9	14.4-20.6	3.7-5.5	7.1-9.6	7.1-11.7	6.4-8.7	30-46	>70	0-6	9.1-12.1	9.5-13.3	0.8-1.3
3	1.4	0.08	0.02	0.07	<3.9	5.1-7.1	4.9-7.1	15.3-21.3	3.9-5.6	7.4-9.8	7.8-12.1	6.7-8.9	30-46	>70	0-6	9.7-12.5	10.1-13.6	0.8-1.3
4	1.8	0.1	0.03	0.09	<4.0	5.4-7.3	5.1-7.2	16.1-21.9	4.0-5.7	7.7-10.0	8.4-12.6	6.9-9.1	30-46	>70	0-6	10.2-13.0	10.5-14.0	0.8-1.3
5	2.3	0.13	0.03	0.11	<4.2	5.6-7.5	5.3-7.3	16.9-22.5	4.2-5.8	7.9-10.2	8.9-12.9	7.1-9.2	30-46	>70	0-6	10.7-13.3	11.0-14.3	0.8-1.3
6	2.7	0.15	0.04	0.14	<4.3	5.9-7.7	5.4-7.4	17.6-23.0	4.3-5.9	8.2-10.3	9.4-13.3	7.3-9.3	30-46	>70	0-6	11.1-13.7	11.4-14.6	0.8-1.3
7	3.2	0.18	0.05	0.16	<4.4	6.1-7.9	5.6-7.4	18.3-23.6	4.4-6.0	8.4-10.5	9.8-13.7	7.5-9.4	30-46	>70	0-6	11.5-14.0	11.7-14.9	0.8-1.3
8	3.6	0.2	0.05	0.18	<4.5	6.3-8.0	5.7-7.5	18.9-24.0	4.5-6.0	8.6-10.6	10.3-14.0	7.7-9.6	30-46	>70	0-6	11.9-14.3	12.1-15.1	0.8-1.3
9	4.1	0.23	0.06	0.20	<4.6	6.5-8.2	5.8-7.6	19.6-24.5	4.6-6.1	8.8-10.8	10.7-14.3	7.8-9.7	30-46	>70	0-6	12.3-14.6	12.5-15.4	0.8-1.3
10	4.5	0.25	0.07	0.23	<4.7	6.7-8.3	6.0-7.7	20.2-25.0	4.7-6.2	9.0-10.9	11.1-14.6	8.0-9.8	30-46	>70	0-6	12.7-14.9	12.8-15.6	0.8-1.3
11	5	0.28	0.08	0.25	<4.9	6.9-8.5	6.1-7.8	20.7-25.4	4.9-6.2	9.2-11.1	11.4-14.9	8.1-9.9	30-46	>70	0-6	13.0-15.2	13.1-15.9	0.8-1.3
12	5.45	0.3	0.08	0.27	<5.0	7.1-1.2	6.2-7.8	21.3-25.8	5.0-6.3	9.4-11.2	11.9-15.2	8.3-10.0	30-46	>70	0-6	13.4-15.5	13.4-16.1	0.8-1.3
13	5.9	0.33	0.09	0.30	<5.0	7.3-8.7	6.3-7.9	21.8-26.2	5.0-6.4	9.5-11.3	12.3-15.5	8.4-10.1	30-46	>70	0-6	13.7-15.8	13.7-16.3	0.8-1.3
14	6.4	0.35	0.10	0.32	<5.1	7.4-8.9	6.4-8.0	22.3-26.6	5.1-6.4	9.7-11.4	12.6-15.8	8.6-10.2	30-46	>70	0-6	14.0-16.0	14.0-16.5	0.8-1.3
15	6.8	0.38	0.10	0.34	<5.2	7.6-9.0	6.6-8.1	22.9-27.0	5.2-6.5	9.9-11.5	13.0-16.0	8.7-10.3	30-46	>70	0-6	14.3-16.3	14.3-16.8	0.8-1.3
16	7.3	0.4	0.11	0.36	<5.3	7.8-9.1	6.7-8.1	23.4-27.4	5.3-6.5	10.0-11.7	13.3-16.3	8.6-10.4	30-46	>70	0-6	14.6-16.5	14.6-17.0	0.8-1.3
17	7.7	0.43	0.12	0.39	<5.4	7.9-9.3	6.8-8.2	23.8-27.8	5.4-6.6	10.2-11.8	13.7-16.5	9.0-10.4	30-46	>70	0-6	14.9-16.8	14.8-17.2	0.8-1.3
18	8.2	0.45	0.12	0.41	<5.5	8.1-9.4	6.9-8.3	24.3-28.2	5.5-6.6	10.3-11.9	14.0-16.8	9.1-10.5	30-46	>70	0-6	15.2-17.0	15.1-17.4	0.8-1.3
19	8.6	0.48	0.13	0.43	<5.6	8.3-9.5	7.0-8.3	24.8-28.6	5.6-6.7	10.5-12.0	14.3-17.1	9.2-10.6	30-46	>70	0-6	15.5-17.3	15.4-17.6	0.8-1.3
20	9.1	0.5	0.14	0.45	<5.7	8.4-9.6	7.1-8.4	25.3-28.9	5.7-6.7	10.6-12.1	14.6-17.3	9.4-10.7	30-46	>70	0-6	15.8-17.5	15.6-17.8	0.8-1.3
21	9.5	0.53	0.14	0.48	<5.7	8.6-9.8	7.2-8.5	25.7-29.3	5.7-6.8	10.8-12.2	15.0-17.5	9.5-10.8	30-46	>70	0-6	16.1-17.7	15.9-18.0	0.8-1.3
22	10	0.55	0.15	0.50	<5.8	8.7-9.9	7.3-8.5	26.1-29.6	5.8-6.9	10.9-12.3	15.3-17.8	9.6-10.9	30-46	>70	0-6	16.3-17.9	16.1-18.2	0.8-1.3
23	10.5	0.58	0.16	0.52	<5.9	8.9-10.0	7.4-8.6	26.6-30.0	5.9-6.9	11.1-12.4	15.6-18.0	9.7-11.0	30-46	>70	0-6	16.6-18.2	16.4-18.4	0.8-1.3
24	10.9	0.6	0.16	0.55	<6.0	9.0-12.4	7.5-8.7	27.0-37.3	6.0-7.0	11.2-12.5	15.9-18.3	9.8-11.0	30-46	>70	0-6	16.9-18.4	16.6-18.5	0.8-1.3
25	11.4	0.63	0.17	0.57	<6.1	9.1-10.2	7.6-8.7	27.4-30.7	6.1-7.0	11.3-12.6	16.1-18.5	9.9-11.1	30-46	>70	0-6	17.1-18.6	16.8-18.7	0.8-1.3
26	11.8	0.65	0.18	0.59	<6.1	9.3-10.3	7.6-8.8	27.8-31.0	6.1-7.1	11.5-12.7	16.4-18.7	10.0-11.2	30-46	>70	0-6	17.4-18.8	17.1-18.9	0.8-1.3
27	12.3	0.68	0.18	0.61	<6.2	9.4-10.5	7.7-8.8	28.2-31.4	6.2-7.1	11.6-12.9	16.7-19.0	10.1-11.3	30-46	>70	0-6	17.6-19.1	17.3-19.1	0.8-1.3
28	12.7	0.7	0.19	0.64	<6.3	9.5-10.6	7.8-8.9	28.6-31.7	6.3-7.2	11.7-13.0	17.0-19.2	10.3-11.4	30-46	>70	0-6	17.9-19.3	17.5-19.3	0.8-1.3
29	13.2	0.73	0.20	0.66	<6.3	9.7-10.7	7.9-9.0	29.0-32.0	6.3-7.2	11.9-13.1	17.2-19.4	10.4-11.5	30-46	>70	0-6	18.1-19.5	17.7-19.5	0.8-1.3
30	13.6	0.75	0.20	0.68	<6.4	9.8-10.8	8.0-9.0	29.4-32.3	6.4-7.3	12.0-13.2	17.5-19.6	10.5-11.5	30-46	>70	0-6	18.3-19.7	17.9-19.6	0.8-1.3
31	14.1	0.78	0.21	0.70	<6.5	9.9-10.9	8.1-9.1	29.8-32.7	6.5-7.3	12.1-13.3	17.8-19.9	10.6-11.6	30-46	>70	0-6	18.6-19.9	18.2-19.8	0.8-1.3
32	14.5	0.8	0.22	0.73	<6.5	10.1-11.0	8.1-9.2	30.2-33.0	6.5-7.4	12.2-13.4	18.0-20.1	10.7-11.7	30-46	>70	0-6	18.8-20.1	18.4-20.0	0.8-1.3
33	15.0	0.83	0.23	0.75	<6.6	10.2-11.1	8.2-9.2	30.6-33.3	6.6-7.4	12.4-13.5	18.3-20.3	10.8-11.8	30-46	>70	0-6	19.0-20.3	18.6-20.2	0.8-1.3
34	15.5	0.85	0.23	0.77	<6.7	10.3-11.2	8.3-9.3	30.9-33.6	6.7-7.5	12.5-13.6	18.5-20.5	10.8-11.9	30-46	>70	0-6	19.3-20.5	18.8-20.4	0.8-1.3
35	15.9	0.88	0.24	0.80	<6.7	10.4-11.3	8.4-9.3	31.3-34.0	6.7-7.5	12.6-13.7	18.8-20.7	10.9-11.9	30-46	>70	0-6	19.5-20.7	19.0-20.5	0.8-1.3
36	16.4	0.9	0.25	0.82	<6.8	10.5-11.4	8.5-9.4	31.6-34.3	6.8-7.6	12.7-13.8	19.0-21.0	11.0-12.0	30-46	>70	0-6	19.7-20.9	19.2-20.7	0.8-1.3
37	16.8	0.93	0.25	0.84	<6.8	10.7-11.5	8.5-9.5	32.0-34.6	6.8-7.6	12.8-13.9	19.3-21.2	11.1-12.1	30-46	>70	0-6	19.9-21.1	19.4-20.9	0.8-1.3
38	17.3	0.95	0.26	0.86	<6.9	10.8-11.6	8.6-9.5	32.3-34.9	6.9-7.7	12.9-13.9	19.5-21.4	11.2-12.2	30-46	>70	0-6	20.1-21.3	19.5-21.1	0.8-1.3
39	17.7	0.98	0.27	0.89	<7.0	10.9-11.7	8.7-9.6	32.7-35.2	7.0-7.7	13.0-14.0	19.7-21.6	11.3-12.3	30-46	>70	0-6	20.3-21.5	19.7-21.3	0.8-1.3
40	18.2	1	0.27	0.91	<7.0	11.0-11.9	8.7-9.6	33.0-35.6	7.0-7.8	13.1-14.1	20.0-21.8	11.4-12.3	30-46	>70	0-6	20.5-21.7	19.9-21.4	0.8-1.3

Wt lbs	Wt kg	Ace mg	Bup mg	Bup cc	RV	RVIDD	IVSTD	LVIDD	LVPWD	IVSTS	LVIDS	LVPWS	FS	EF	EPSS	AoS	LAD	LA:Ao
41	18.6	1	0.28	0.93	<7.1	11.1-12	8-8-9.7	33.3-35.9	7.1-7.8	13.2-14.2	20.2-22	11.5-12.4	30-46	>70	0-6	20.7-21.9	20.1-21.6	0.8-1.3
42	19.1	1	0.29	0.95	<7.1	11.2-12.1	8.9-9.8	33.7-36.2	7.1-7.9	13.3-14.3	20.4-22.3	11.6-12.5	30-46	>70	0-6	20.9-22.1	20.3-21.8	0.8-1.3
43	19.5	1	0.29	0.98	<7.2	11.3-12.2	8.9-9.8	34-36.5	7.2-7.9	13.4-14.4	20.6-22.5	11.6-12.6	30-46	>70	0-6	21.1-22.3	20.4-22	0.8-1.3
44	20	1	0.30	1.00	<7.2	11.4-12.3	9-9.9	34.3-36.8	7.2-8	13.5-14.5	20.8-22.7	11.7-12.6	30-46	>70	0-6	21.3-22.5	20.6-22.1	0.8-1.3
45	20.5	1	0.31	1.02	<7.3	11.5-12.4	9.1-10	34.6-37.1	7.3-8	13.6-14.6	21.1-22.9	11.8-12.7	30-46	>70	0-6	21.5-22.7	20.8-22.3	0.8-1.3
46	20.9	1	0.31	1.05	<7.3	11.6-12.5	9.1-10	34.9-37.4	7.3-8.1	13.7-14.7	21.3-23.1	11.9-12.8	30-46	>70	0-6	21.7-22.9	21-22.5	0.8-1.3
47	21.4	1	0.32	1.07	<7.4	11.7-12.6	9.2-10.1	35.2-37.8	7.4-8.1	13.8-14.8	21.5-23.3	11.9-12.9	30-46	>70	0-6	21.9-23.1	21.1-22.7	0.8-1.3
48	21.8	1	0.33	1.09	<7.4	11.8-12.7	9.2-10.1	35.5-38.1	7.4-8.2	13.9-14.9	21.7-23.5	13-Dec	30-46	>70	0-6	22.1-23.3	21.3-22.8	0.8-1.3
49	22.3	1	0.33	1.11	<7.5	11.9-12.8	9.3-10.2	35.8-38.4	7.5-8.2	14-15	21.9-23.8	12.1-13.1	30-46	>70	0-6	22.3-23.5	21.4-23	0.8-1.3
50	22.7	1	0.34	1.14	<7.5	12-12.9	9.4-10.3	36.1-38.7	7.5-8.3	14.1-15.1	22.1-24	12.2-13.1	30-46	>70	0-6	22.5-23.7	21.6-23.2	0.8-1.3
51	23.2	1	0.35	1.16	<7.6	12.1-13	9.4-10.3	36.4-39	7.6-8.4	14.2-15.2	22.3-24.2	12.2-13.2	30-46	>70	0-6	22.6-23.9	21.8-23.4	0.8-1.3
52	23.6	1	0.35	1.18	<7.6	12.2-13.1	9.5-10.4	36.7-39.3	7.6-8.4	14.3-15.3	22.5-24.4	12.3-13.3	30-46	>70	0-6	22.8-24.1	21.9-23.5	0.8-1.3
53	24.1	1	0.36	1.20	<7.7	12.3-13.2	9.5-10.5	36.9-39.6	7.7-8.5	14.4-15.4	22.7-24.6	12.4-13.4	30-46	>70	0-6	23-24.3	22.1-23.7	0.8-1.3
54	24.5	1	0.37	1.23	<7.7	12.4-13.3	9.6-10.5	37.2-39.9	7.7-8.5	14.5-15.5	22.9-24.8	12.4-13.5	30-46	>70	0-6	23.2-24.5	22.2-23.9	0.8-1.3
55	25	1	0.38	1.25	<7.8	12.5-13.4	9.6-10.6	37.5-40.3	7.8-8.6	14.6-15.6	23-25	12.5-13.5	30-46	>70	0-6	23.3-24.7	22.4-24.1	0.8-1.3
56	25.5	1	0.38	1.27	<7.8	12.6-13.5	9.7-10.7	37.8-40.6	7.8-8.6	14.6-15.7	23.2-25.3	12.6-13.6	30-46	>70	0-6	23.5-24.9	22.5-24.2	0.8-1.3
57	25.9	1	0.39	1.30	<7.8	12.6-13.6	9.7-10.7	38-40.9	7.8-8.7	14.7-15.8	23.4-25.5	12.6-13.7	30-46	>70	0-6	23.7-25.1	22.6-24.4	0.8-1.3
58	26.4	1	0.40	1.32	<7.9	12.8-13.7	9.8-10.8	38.3-41.2	7.9-8.7	14.8-15.9	23.6-25.7	12.7-13.8	30-46	>70	0-6	23.9-25.3	22.8-24.6	0.8-1.3
59	26.8	1	0.40	1.34	<7.9	12.9-13.8	9.8-10.9	38.6-41.5	7.9-8.8	14.9-16	23.8-25.9	12.8-13.9	30-46	>70	0-6	24-25.5	22.9-24.7	0.8-1.3
60	27.3	1	0.41	1.36	<8.0	12.9-13.9	9.9-10.9	38.8-41.8	8-8.8	15-16.1	23.9-26.1	12.8-13.9	30-46	>70	0-6	24.2-25.7	23.1-24.9	0.8-1.3
61	27.7	1	0.42	1.39	<8.0	13-14	9.9-11	39.1-42.1	8-8.9	15-16.2	24.1-26.3	12.9-14	30-46	>70	0-6	24.3-25.8	23.2-25.1	0.8-1.3
62	28.2	1	0.42	1.41	<8.0	13.1-14.1	10.0-11	39.3-42.4	8-8.9	15.1-16.3	24.3-26.5	13-14.1	30-46	>70	0-6	24.5-26	23.4-25.3	0.8-1.3
63	28.6	1	0.43	1.43	<8.1	13.2-14.2	10-11.1	39.6-42.7	8.1-9.0	15.2-16.4	24.5-26.7	13-14.2	30-46	>70	0-6	24.7-26.2	23.5-25.4	0.8-1.3
64	29.1	1	0.44	1.45	<8.1	13.2-14.2	10.1-11.2	39.8-43	8.1-9.1	15.3-16.5	24.6-26.9	13.1-14.3	30-46	>70	0-6	24.8-26.4	23.6-25.6	0.8-1.3
65	29.5	1	0.44	1.48	<8.2	13.3-14.4	10.1-11.2	40.1-43.3	8.2-9.1	15.4-16.6	24.8-27.1	13.1-14.3	30-46	>70	0-6	25-26.6	23.8-25.8	0.8-1.3
66	30	1	0.45	1.50	<8.2	13.4-14.5	10.2-11.3	40.3-43.6	8.2-9.2	15.4-16.7	25-27.4	13.2-14.4	30-46	>70	0-6	25.2-26.8	23.9-25.9	0.8-1.3
67	30.5	1	0.46	1.52	<8.2	13.5-14.6	10.2-11.4	40.6-43.9	8.2-9.2	15.5-16.8	25.1-27.6	13.3-14.5	30-46	>70	0-6	25.3-27	24-26.1	0.8-1.3
68	30.9	1	0.46	1.55	<8.3	13.6-14.7	10.3-11.4	40.8-44.2	8.3-9.3	15.6-16.9	25.3-27.8	13.3-14.6	30-46	>70	0-6	25.5-27.2	24.2-26.3	0.8-1.3
69	31.4	1	0.47	1.57	<8.3	13.7-14.8	10.3-11.5	41.1-44.5	8.3-9.3	15.7-17	25.5-28	13.4-14.7	30-46	>70	0-6	25.6-27.3	24.3-26.4	0.8-1.3
70	31.8	1	0.48	1.59	<8.3	13.7-14.9	10.4-11.6	41.3-44.8	8.3-9.4	15.7-17.1	25.6-28.2	13.4-14.7	30-46	>70	0-6	25.8-27.5	24.4-26.6	0.8-1.3
71	32.3	1	0.48	1.61	<8.4	13.8-15	10.4-11.6	41.5-45.1	8.4-9.4	15.8-17.2	25.8-28.4	13.5-14.8	30-46	>70	0-6	25.9-27.7	24.5-26.8	0.8-1.3
72	32.7	1	0.49	1.64	<8.4	13.9-15.1	10.4-11.7	41.8-45.4	8.4-9.5	15.9-17.3	26-28.6	13.6-14.9	30-46	>70	0-6	26.1-27.9	24.7-27	0.8-1.3
73	33.2	1	0.50	1.66	<8.4	14-15.2	10.5-11.8	42-45.7	8.4-9.5	15.9-17.4	26.1-28.8	13.6-15	30-46	>70	0-6	26.2-28.1	24.8-27.1	0.8-1.3
74	33.6	1	0.50	1.68	<8.5	14.1-15.3	10.5-11.8	42.3-46	8.5-9.6	16-17.5	26.3-29	13.7-15.1	30-46	>70	0-6	26.4-28.3	24.9-27.3	0.8-1.3
75	34.1	1	0.51	1.70	<8.5	14.1-15.4	10.6-11.9	42.5-46.3	8.5-9.6	16.1-17.6	26.4-29.2	13.7-15.1	30-46	>70	0-6	26.5-28.4	25.1-27.4	0.8-1.3
76	34.5	1	0.52	1.73	<8.5	14.2-15.5	10.6-12	42.7-46.6	8.5-9.7	16.2-17.7	26.6-29.4	13.8-15.2	30-46	>70	0-6	26.7-28.6	25.2-27.6	0.8-1.3
77	35	1	0.53	1.75	<8.6	14.3-15.6	10.6-12	42.9-46.9	8.6-9.7	16.2-17.7	26.8-29.6	13.8-15.3	30-46	>70	0-6	26.8-28.8	25.3-27.8	0.8-1.3
78	35.5	1	0.53	1.77	<8.6	14.4-15.7	10.7-12.1	43.2-47.2	8.6-9.8	16.3-17.8	26.9-29.8	13.9-15.4	30-46	>70	0-6	27-29	25.4-27.9	0.8-1.3
79	35.9	1	0.54	1.80	<8.6	14.5-15.8	10.7-12.1	43.4-47.5	8.6-9.8	16.4-17.9	27.1-30	13.9-15.4	30-46	>70	0-6	27.1-29.1	25.5-28.1	0.8-1.3
80	36.4	1	0.55	1.82	<8.7	14.5-15.9	10.8-12.2	43.6-47.8	8.7-9.9	16.4-18	27.2-30.2	14-15.5	30-46	>70	0-6	27.3-29.3	25.7-28.3	0.8-1.3

Wt lbs	Wt kg	Ace mg	Bup mg	Bup cc	RV	RVIDD	IVSTD	LVIDD	LVPWD	IVSTS	LVIDS	LVPWS	FS	EF	EPSS	AoS	LAD	LA:Ao
81	36.8	1	0.55	1.84	<8.7	14.6-16	10.8-12.3	43.9-48	8.7-10	16.5-18.1	27.4-30.4	14-15.6	30-46	>70	0-6	27.4-29.5	25.8-28.4	0.8-1.3
82	37.3	1	0.56	1.86	<8.7	14.7-16.1	10.9-12.3	44.1-48.3	8.7-10	16.6-18.2	27.5-30.6	14.1-15.7	30-46	>70	0-6	27.5-29.7	25.9-28.6	0.8-1.3
83	37.7	1	0.57	1.89	<8.8	14.8-16.2	10.9-12.4	44.3-48.6	8.8-10.1	16.6-18.3	27.7-30.6	14.2-15.8	30-46	>70	0-6	27.7-29.9	26-28.8	0.8-1.3
84	38.2	1	0.57	1.91	<8.8	14.8-16.3	10.9-12.5	44.5-48.9	8.8-10.1	16.7-18.4	27.8-31	14.2-15.8	30-46	>70	0-6	27.8-30	26.1-28.9	0.8-1.3
85	38.6	1	0.58	1.93	<8.8	14.9-16.4	11-12.5	44.7-49.2	8.8-10.2	16.8-18.5	28-31.2	14.3-15.9	30-46	>70	0-6	28-30.2	26.3-29.1	0.8-1.3
86	39.1	1	0.59	1.95	<8.9	15-16.5	11-12.6	45-49.5	8.9-10.2	16.8-18.6	28.1-31.4	14.3-16	30-46	>70	0-6	28.1-30.4	26.4-19.2	0.8-1.3
87	39.5	1	0.59	1.98	<8.9	15.1-16.6	11-12.6	45.2-49.8	8.9-10.3	16.9-18.7	28.3-31.6	14.4-16.1	30-46	>70	0-6	28.3-30.6	26.5-29.4	0.8-1.3
88	40	1	0.60	2.00	<8.9	15.1-16.7	11.1-12.7	45.4-50	8.9-10.3	17-18.8	28.4-31.8	14.4-16.1	30-46	>70	0-6	28.4-30.7	26.6-29.5	0.8-1.3
89	40.5	1	0.61	2.02	<9.0	15.2-16.8	11.1-12.8	45.6-50.3	9-10.4	17-18.9	28.6-32	14.5-16.2	30-46	>70	0-6	28.5-30.9	26.7-29.7	0.8-1.3
90	40.9	1	0.61	2.05	<9.0	15.2-16.9	11.2-12.8	45.8-50.6	9-10.4	17.1-19	28.7-32.2	14.5-16.3	30-46	>70	0-6	28.7-31.1	26.9-29.9	0.8-1.3
91	41.4	1	0.62	2.07	<9.0	15.3-17	11.2-12.9	46-50.9	9-10.5	17.2-19	28.8-32.4	14.6-16.4	30-46	>70	0-6	28.8-31.2	27-30	0.8-1.3
92	41.8	1	0.63	2.09	<9.1	15.4-17.1	11.2-13	46.2-51.2	9.1-10.5	17.2-19.1	29-32.6	14.6-16.4	30-46	>70	0-6	28.9-31.4	27.1-30.2	0.8-1.3
93	42.3	1	0.63	2.11	<9.1	15.5-17.2	11.3-13	46.5-51.4	9.1-10.6	17.3-19.2	29.1-32.7	14.7-16.5	30-46	>70	0-6	29.1-31.6	27.2-30.3	0.8-1.3
94	42.7	1	0.64	2.14	<9.1	15.6-17.2	11.3-13.1	46.7-51.7	9.1-10.6	17.4-19.3	29.3-32.9	14.7-16.6	30-46	>70	0-6	29.2-31.8	27.3-30.5	0.8-1.3
95	43.2	1	0.65	2.16	<9.2	15.6-17.4	11.3-13.1	46.9-52	9.2-10.7	17.4-19.4	29.4-33.1	14.8-16.7	30-46	>70	0-6	29.4-31.9	27.4-30.6	0.8-1.3
96	43.6	1	0.65	2.18	<9.2	15.7-17.5	11.4-13.2	47.1-52.3	9.2-10.7	17.5-19.5	29.6-33.3	14.8-16.7	30-46	>70	0-6	29.5-32.1	27.5-30.8	0.8-1.3
97	44.1	1	0.66	2.20	<9.2	15.8-17.5	11.4-13.3	47.3-52.5	9.2-10.8	17.5-19.6	29.7-33.5	14.9-16.8	30-46	>70	0-6	29.6-32.3	27.6-31	0.8-1.3
98	44.5	1	0.67	2.23	<9.2	15.8-17.6	11.5-13.3	47.5-52.8	9.2-10.8	17.6-19.7	29.8-33.7	14.9-16.9	30-46	>70	0-6	29.8-32.4	27.8-31.1	0.8-1.3
99	45	1	0.68	2.25	<9.3	15.9-17.7	11.5-13.4	47.7-53.1	9.3-10.9	17.7-19.6	30-33.9	15-16.9	30-46	>70	0-6	29.9-32.6	27.9-31.3	0.8-1.3
100	45.5	1	0.68	2.27	<9.3	15.9-17.8	11.5-13.4	47.9-53.4	9.3-10.9	17.7-19.8	30.1-34.1	15-17	30-46	>70	0-6	30-32.8	28-31.4	0.8-1.3
101	45.9	1	0.69	2.30	<9.3	16-17.9	11.6-13.5	48.1-53.6	9.3-11	17.8-19.9	30.3-34.3	15.1-17.1	30-46	>70	0-6	30.2-32.9	28.1-31.6	0.8-1.3
102	46.4	1	0.70	2.32	<9.4	16.1-18	11.6-13.6	48.3-53.9	9.4-11	17.8-20	30.4-34.4	15.1-17.2	30-46	>70	0-6	30.3-33.1	28.2-31.7	0.8-1.3
103	46.8	1	0.70	2.34	<9.4	16.2-18.1	11.6-13.6	48.5-54.2	9.4-11.1	17.9-20.1	30.5-34.6	15.2-17.2	30-46	>70	0-6	30.4-33.3	28.3-31.9	0.8-1.3
104	47.3	1	0.71	2.36	<9.4	16.2-18.1	11.7-13.7	48.7-54.4	9.4-11.1	18-20.2	30.7-34.8	15.2-17.3	30-46	>70	0-6	30.6-33.4	30.6-33.4	0.8-1.3
105	47.7	1	0.72	2.39	<9.5	16.3-18.2	11.7-13.7	48.9-54.7	9.5-11.2	18-20.3	30.8-35	15.2-17.4	30-46	>70	0-6	30.7-33.6	28.5-32.2	0.8-1.3
106	48.2	1	0.72	2.41	<9.5	16.3-18.4	11.7-13.8	49.1-55	9.5-11.2	18.1-20.4	30.9-35.2	15.3-17.5	30-46	>70	0-6	30.8-33.7	28.6-32.3	0.8-1.3
107	48.6	1	0.73	2.43	<9.5	16.4-18.4	11.8-13.9	49.3-55.2	9.5-11.3	18.2-20.5	31.1-35.4	15.3-17.5	30-46	>70	0-6	30.9-33.9	28.7-32.5	0.8-1.3
108	49.1	1	0.74	2.45	<9.5	16.5-18.5	11.8-13.9	49.5-55.5	9.5-11.3	18.2-20.5	31.2-35.6	15.4-17.6	30-46	>70	0-6	31.1-34.1	28.9-32.6	0.8-1.3
109	49.5	1	0.74	2.48	<9.6	16.5-18.6	11.9-14	49.7-55.8	9.6-11.4	18.3-20.6	31.4-35.7	15.4-17.7	30-46	>70	0-6	31.2-34.2	29-32.8	0.8-1.3
110	50	1	0.75	2.50	<9.6	16.6-18.7	11.9-14	49.9-56	9.6-11.4	18.3-20.7	31.5-35.9	15.5-17.7	30-46	>70	0-6	31.3-34.4	29.1-32.9	0.8-1.3
111	50.5	1	0.76	2.52	<9.6	16.7-18.8	11.9-14.1	50.1-56.3	9.6-11.5	18.4-20.8	31.6-36.1	15.5-17.8	30-46	>70	0-6	31.5-34.6	29.2-33.1	0.8-1.3
112	50.9	1	0.76	2.55	<9.7	16.8-18.9	12-14.1	50.3-56.6	9.7-11.5	18.5-20.9	31.8-36.3	15.6-17.9	30-46	>70	0-6	31.6-34.7	29.3-33.2	0.8-1.3
113	51.4	1	0.77	2.57	<9.7	16.8-19	12-14.2	50.5-56.8	9.7-11.5	18.5-21	31.9-36.5	15.6-18	30-46	>70	0-6	31.7-34.9	29.4-33.4	0.8-1.3
114	51.8	1	0.78	2.59	<9.7	16.9-19.1	12-14.3	50.7-57.1	9.7-11.6	18.6-21.1	32-36.6	15.7-18	30-46	>70	0-6	31.8-35	29.5-33.5	0.8-1.3
115	52.3	1	0.78	2.61	<9.7	16.9-19.2	12.1-14.3	50.9-57.4	9.7-11.6	18.6-21.1	32.2-36.8	15.7-18.1	30-46	>70	0-6	32-35.2	29.6-33.7	0.8-1.3
116	52.7	1	0.79	2.64	<9.8	17-19.2	12.1-14.4	51.1-57.6	9.8-11.7	18.7-21.2	32.3-37	15.8-18.2	30-46	>70	0-6	32.1-35.4	29.7-33.8	0.8-1.3
117	53.2	1	0.80	2.66	<9.8	17.1-19.3	12.1-14.4	51.3-57.9	9.8-11.7	18.7-21.3	32.4-37.2	15.8-18.2	30-46	>70	0-6	32.2-35.5	29.8-33.9	0.8-1.3
118	53.6	1	0.80	2.68	<9.8	17.2-19.4	12.2-14.5	51.5-58.1	9.8-11.8	18.8-21.4	32.5-37.4	15.8-18.3	30-46	>70	0-6	32.3-35.7	29.9-34.1	0.8-1.3
119	54.1	1	0.81	2.70	<9.8	17.2-19.5	12.2-14.5	51.7-58.4	9.8-11.8	18.9-21.5	32.7-37.5	15.9-18.4	30-46	>70	0-6	32.5-35.8	30-34.2	0.8-1.3
120	54.5	1	0.82	2.73	<9.9	17.3-19.6	12.2-14.6	51.9-58.7	9.9-11.9	18.9-21.6	32.8-37.7	15.9-18.4	30-46	>70	0-6	32.6-36	30.1-34.4	0.8-1.3